SAFETY DATA SHEET

— DV-097G & DV-098G —

DATE ISSUED: 2018

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Blue / Red Wax Cake 1 Gallon (8lbs)

DISTRIBUTOR: DAC Vision, Inc.

ADDRESS: 3630 W Miller Road, Suite 350, Garland, TX 75041

EMERGENCY PHONE: 972-677-2700

CHEMICAL FAMILY: Hydrocarbon waxes and resins

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW:

The product is not expected to present any unusual hazards in proper use. Contact with molten material can cause irritation to the skin, eyes and mucous membranes and may cause thermal burns.

APPEARANCE: Red or Blue colored solid.

EYE CONTACT: Molten wax fumes may be slightly irritating to the eyes. **SKIN CONTACT:** Molten wax may cause burns in contact with skin.

INHILATION: Molten wax fumes may cause mild (upper) respiratory irritation.

INGESTION: No specific information identified.

POTENTIAL HEALTH EFFECTS (HMIS RATING)

HEALTH HAZARD: 0 FIRE HAZARD: 1 REACTIVITY: 0 PERSONAL PROTECTION: 1
0=Minimal 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME: Not Applicable

CHEMICAL FAMILY: Hydrocarbon waxes and resins

CAS NUMBER: Mixture

SECTION 4 - FRIST AID MEASURES

EYES: Flush eyes with water for 15 minutes. Seek medical attention.

SKIN: If hot wax strikes skin, drench or immerse the area in cold water to assist cooling. Do not try to remove

wax from burn. Seek medical attention. If solid wax contacts skin, wash with soapy water.

Page 1 of 3

INHILATION: Remove victim to fresh air. Seek medical attention.

INGESTION: Consult medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

HAZARDOUS COMBUSTION PRODUCTS: Primarily oxides of carbon.

EXTINGUISHING MEDIA: Foam, CO2 and Dry Chemical

UNUSUAL FIRE & EPLOSION HAZARDS: Do not use water unless as a fog.

SPECIAL FIRE FIGHTING PROCEDURE: Minimize breathing wax fumes.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

LEAKS OR SPILLS: Contain spill and allow to solidify. Scrape up solids for disposal.

SECTION 7 – HANDLING AND STORAGE

HANDLING: Avoid contact with hot material. Minimize breathing was fumes.

STORAGE: Store away from heat, flame and direct sunlight.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

This material will be utilized in molten form. Proper protective splash resistant clothing, thermal gloves, splash resistant shoes, and eye shields should be worn to prevent injury. Use molten material in well ventilated areas. When working in confined areas, use of appropriate respiratory gear is recommended.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Blue or Red Blocks ODOR: None PHYSICAL STATE: Solid @25°C / 77°F

MELTING POINT: 45 - 55°C SPECIFIC GRAVITY: <1 (H₂O=1) FLASH POINT: >340°F (COC)

BOILING POINT: Not Available **VOLATILES:** Negligible

SOLIBILITY IN WATER: Insoluble SOLIBILITY IN ORGANIC SOLVENT: Soluble

SECTION 10 – STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION: Primarily oxides of carbon. **CONDITIONS TO AVOID:** Direct contact with open flame. HAZARDOUS POLYMERIZATION: Will not occur. SECTION 11 - TOXICOLOGICAL INFORMATION Not Available **SECTION 12 - ECOLOGICAL INFORMATION** Not Available **SECTION 13 - DISPOSAL CONSIDERATIONS** Dump in conformance with local, state and federal regulations. **SECTION 14 - TRANSPORT INFORMATION** Not hazardous by D.O.T. regulations. **SECTION 15 – REGULATORY INFORMATION**

TSCA Status: This product, or ingredients as a mixture, appears in the Toxic Substances Control Act Inventory.

OSHA: Not hazardous as defined by OSHA 29 CFR 1910.1200

SECTION 16 – OTHER INFORMATION

Prepared by DAC Vision based on information provided by the manufacturer.

DISCLAIMER

The information contained herein is based on data considered to be accurate and reliable. No warranty is expressed or implied regarding the accuracy or correctness of this data. It is the user's obligation to determine the safe use of the product since conditions of use, handling, storage and disposal are beyond our control.